


Lesson 14

Graphs and Equations (I)

14A

- Distance Between Two Points
- Division of a Line Segment
- Straight Lines

Distance Formula



Distance Formula


When two points $A(x_1, y_1)$ and $B(x_2, y_2)$ are given, the distance between these points is given by

$$AB = \sqrt{(x_2 - x_1)^2 + (y_2 - y_1)^2}$$

Division of a Line Segment

Two points $A(x_1, y_1)$ and $B(x_2, y_2)$ are given.

Internal Division Point




$$(x - x_1) : (x_2 - x) = m : n$$

Therefore

$$x = \frac{nx_1 + mx_2}{m + n}$$

$$y = \frac{ny_1 + my_2}{m + n}$$

External Division Point



$$(x - x_1) : (x - x_2) = m : n$$

Therefore

$$x = \frac{-nx_1 + mx_2}{m - n}$$

$$y = \frac{-ny_1 + my_2}{m - n}$$

Example

[Example 14.1] Find the point C which is located on the x -axis and has equal distances from points A(-1, 3) and B(2, 4).

Ans.

Let the coordinates of point C be $(x, 0)$.

Then


$$\sqrt{(x+1)^2 + (0-3)^2} = \sqrt{(x-2)^2 + (0-4)^2}$$

Square both sides

$$(x+1)^2 + 9 = (x-2)^2 + 16$$

Therefore,

$$x = \frac{5}{3}$$



That was too easy!

Straight Line

General form of a straight line

$$ax + by + c = 0$$

Various Forms

(1) Point-slope form


From point (x_1, y_1) and slope m

$$m = \frac{y - y_1}{x - x_1} \rightarrow \boxed{y - y_1 = m(x - x_1)}$$

(2) Slope-intercept form

From y -intercept $(0, n)$ and slope m

$$m = \frac{y - n}{x - 0} \rightarrow \boxed{y = mx + n}$$



Straight Line - Cont.



(3) Line through two points (x_1, y_1) and (x_2, y_2)

$$* \quad y - y_1 = \frac{y_2 - y_1}{x_2 - x_1} (x - x_1) \quad (\text{when } x_1 \neq x_2)$$

$$\text{Slope} \quad m = \frac{y_2 - y_1}{x_2 - x_1}$$

$$* \quad x = x_1 \quad (\text{when } x_1 = x_2)$$

(This represents a vertical line.)



Example (Intercept-Intercept Form)


[Example 14.2] Find the expression of the straight line which passes two points $(4, 0)$ and $(0, -3)$.

Ans. From the expression mentioned above, we have

$$y - 0 = \frac{-3 - 0}{0 - 4}(x - 4)$$

Then we have


$$3x - 4y = 12 \quad \text{or} \quad \frac{x}{4} + \frac{y}{(-3)} = 1$$



(4) Intercept-intercept form

When a straight line intersects the x -axis at a and the y -axis at b , it is expressed as


$$\frac{x}{a} + \frac{y}{b} = 1$$



Exercise

[Exercise 14.1] Three points A(-1, 1), B (3, a) and C ($a + 3$, 7) are on the straight line l in this order. Find the value of a and the equation of l in the following steps.

- (1) Assume the line as $y = mx + n$ and find the conditions that points A, B and C are on the line.
- (2) Find which satisfy these conditions.
- (3) Select appropriate values.



Ans.

Pause the video and solve the problem by yourself.

Exercise


[Exercise 14.1] Three points A(-1, 1), B (3, a) and C ($a + 3$, 7) are on the straight line l in this order. Find the value of a and the equation of l in the following steps.

$$y = mx + n$$

(1) Assume the line as $y = mx + n$ and find the conditions that points A, B and C are on the line.

(2) Find which satisfy these conditions.

(3) Select appropriate values.



Ans. (1) Because the line l passes points A, B, and C, we have

$$1 = -m + n \quad (\text{i}), \quad a = 3m + n \quad (\text{ii}), \quad 7 = m(a + 3) + n \quad (\text{iii})$$

(2) From (ii)-(i) and (iii)-(i), we have $a = 4m + 1$ and $6 = (a + 4)m$.

By eliminating a , we have $(m + 2)(4m - 3) = 0$

Therefore, we obtain $(m, a, n) = (-2, -7, -1)$ and $(\frac{3}{4}, 4, \frac{7}{4})$.

(3) Considering the order, we have $a + 3 > 3$

Therefore, the latter satisfies the request of the problem.

Finally, we obtain $a = 4$ and $y = \frac{3}{4}x + \frac{7}{4}$

Lesson 14

Graphs and Equations (I)

14B

- Parallel Straight Lines
- Perpendicular Straight Lines
- Reflected Images
- Distance to a Straight Line

Parallel Straight Lines


For two straight lines

$$y = m_1x + n_1$$

$$y = m_2x + n_2$$

Parallel Lines Condition

$$m_1 = m_2$$



Perpendicular Straight Lines

For two straight lines

$$y = m_1x + n_1 \quad y = m_2x + n_2$$

Perpendicular Lines Condition

$$m_1m_2 = -1$$

Proof:

For $\triangle ABC$: $AB^2 + BC^2 = AC^2$


For $\triangle ABD$: $AB^2 = BD^2 + AD^2 = 1 + m_2^2$

For $\triangle BCD$: $BC^2 = 1 + (-m_1)^2$

Therefore, from (i)

$$1 + m_2^2 + 1 + (-m_1)^2 = (m_2 - m_1)^2$$

$$\therefore m_1m_2 = -1$$



Reflected Image

[Example 14.3] Find the reflected image of point $P(2, 3)$ about the mirror line $y = 2x + 5$.

Ans. Put the image point be $Q(x_q, y_q)$.

Line PQ is perpendicular to the mirror line:


$$2 \cdot \left(\frac{y_q - 3}{x_q - 2} \right) = -1 \quad (\text{i})$$

The middle point of segment PQ is on the mirror line:

$$\frac{3 + y_q}{2} = 2 \cdot \left(\frac{2 + x_q}{2} \right) + 5 \quad (\text{ii})$$

From (i) and (ii), we have .

$$x_q = -\frac{14}{5}, \quad y_q = \frac{27}{5}$$



Distance To the Straight Line

[Example 14.4] Find the shortest distance between the origin and the straight line $ax + by + c = 0$

Ans. This line is rewritten as $y = -\frac{a}{b}x - \frac{c}{b}$.

Point $A(x_1, y_1)$ on the given line is nearest point from the origin.

Point A is on the line :

$$ax_1 + by_1 + c = 0 \quad (\text{i})$$


Segment OA is perpendicular to the line :

$$\left(-\frac{a}{b}\right) \cdot \frac{y_1}{x_1} = -1 \quad (\text{ii})$$

From (i) and (ii), we obtain $x_1 = \frac{-ac}{a^2 + b^2}, \quad y = \frac{-bc}{a^2 + b^2}$


Therefore, the distance is

$$d = \sqrt{x_1^2 + y_1^2} = \frac{|c|}{\sqrt{a^2 + b^2}}$$



Exercise

- [Exercise 14.2]** Find the area of the triangle in the following steps.
- (1) Shift the triangle by 1 leftward and find the coordinates of the new position of points A, B, and C.
 - (2) Find the length AH using the result of Example 14.4.
 - (3) Find the length AH.
 - (4) Find the area of triangle ABC.




Ans.

Pause the video and solve the problem by yourself.

Exercise

[Exercise 14.2] Find the area of the triangle in the following steps.

- (1) Shift the triangle by 1 leftward and find the coordinates of the new position of points A, B, and C.
- (1) Find the length AH using the result of Example 14.4.
- (3) Find the length AH.
- (4) Find the area of triangle ABC.



- Ans.**
- (1) The new positions are A(0, 0), B(5, 1) and C(1, 4).
 - (2) The equation for the straight line CB is

$$y - 4 = \frac{1 - 4}{5 - 1}(x - 1) \quad \therefore 3x + 4y - 19 = 0$$

(3) From Ex.14.4, length OH is $d = \frac{|-19|}{\sqrt{3^2 + 4^2}} = \frac{19}{5}$

(4) $BC = \sqrt{(5 - 1)^2 + (1 - 4)^2} = 5$

Therefore, the area is

$$\frac{1}{2} \times \frac{19}{5} \times 5 = \frac{19}{2}$$

